



# Cordless Random Orbit Polisher DPO600 150 mm (6")



## High power similar to AC tool



### Rough Polishing



#### Forcible rotation mode

Orbital action with forced rotation of the pad for rough polishing such as scratch removal.



### Fine Polishing



#### Free rotation mode

Orbital action with free rotation of the pad for fine polishing.

# No codes, Less risks of damage for car body



**DPO600**  
150 mm (6")



Photo : DPO600

### Less damage for car body

- As the battery is located here, the battery is less likely to hit a car body directly while working.
- Elastomer is covered for less damage on a car body.

**Lock-on button**

**Change knob**

Selectable 2 rotation mode

### Work run time

Full speed	Finishing mode
about <b>15 min</b>	about <b>30 min</b>

Battery : BL1850B



Ergonomically designed knob handle provides precision and control in a variety of applications.



Conveniently located speed dial enables operator to match speed to application.



Finishing mode makes it easier to work fine polishing by keeping fixed torque and controlling rotation on heavy duty.

## Accessories

### Side grip



Part No.

198043-5

### Pad

(hook & loop type)



Part No.

197926-6

### Sponge pad

(hook & loop type)  
(For wax coating)



Part No.

197912-7

### Wool pad

(hook & loop type)  
(For high gloss polishing)



Part No.

197918-5

### Felt pad

(hook & loop type)  
(For removing wax)



Part No.

197916-9

Part No.	Size	Part No.	Size	Part No.	Size	Part No.	Size	Part No.
198043-5	100mm	197926-6	100mm	197912-7	100mm	197918-5	100mm	197916-9
	125mm	197923-2	125mm	794558-6	125mm	197920-8	125mm	196152-4
	150mm	197929-0	150mm	197914-3	150mm	199424-6	150mm	193288-0

## Cordless Random Orbit Polisher

**DPO600 150 mm (6")**

- Variable Speed
- Constant Speed
- Soft Start
- Hook & Loop
- Carrying Case

	DPO600
<b>Pad Size</b>	150 mm (6")
<b>Orbits Per Minute (OPM)</b>	Normal mode: 0 - 6,800 Finishing mode: 0 - 5,200
<b>Strokes Per Minute (SPM)</b>	Normal mode: 0 - 13,600 Finishing mode: 0 - 10,400
<b>No Load Speed (RPM)</b>	Normal mode: 0 - 780 Finishing mode: 0 - 600
<b>Orbit Diameter</b>	5.5 mm (7/32")
<b>Vibration Level</b>	Polishing: 10.0 m/s <sup>2</sup>
<b>Sound Pressure Level</b>	83 dB(A)
<b>Sound Power Level</b>	94 dB(A)
<b>Dimensions (L x W x H)</b>	530x148x126 mm (20-7/8"x5-7/8"x5")
<b>Net weight</b>	3.1 - 3.6 kg (6.8 - 7.8 lbs.)

**Standard Equipment :** Side Grip (country-specific), Pad (country-specific), Hex Wrench

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table. Items of standard equipment and specifications may vary by country or area.

## Makita Singapore Pte Ltd

7, Changi South Street 3, Singapore 486348  
Phone : +65-6546-8700 Fax : +65-6546-8711  
Email : msgproductteam@makita.com.sg  
Website : www.makita.com.sg  
Facebook : www.facebook.com/MakitaSG



MakitaSG



VISIT OUR WEBSITE

PRINTED IN SINGAPORE