

Product datasheet P PIN 20 1.8 W/827 G4

PARATHOM LED PIN G4 12 V | Low-voltage 12 V LED lamps with retrofit pin base G4







Product datasheet

Technical data

Electrical data

Nominal current	230 mA
Claimed equiv. conventional lamp power	20 W


Photometrical data

Light color (designation)	Warm White
Luminous flux	200 lm

Light technical data

Beam angle	320 °

Dimensions & weight



Overall length	36.00 mm
Product weight	3.00 g

Temperatures & operating conditions

Ambient temperature range	-20+40 °C
---------------------------	-----------

Lifespan

Lumen maintenance at end of service life	0.7
--	-----

Additional product data

Mercury content	0.0 mg	
Mercury-free	Yes	
Design / version	Clear	
Appropriate disposal acc. to WEEE	Yes	
Successor EAN	4058075622692	

Product datasheet

Predecessor EAN	4058075811430

Certificates & standards

Energy efficiency class	F
Energy consumption	2.00 kWh/1000h

Country specific categorizations

ILCOS	DRT/C-1,8/827-220-240-G4-14/36

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Date of Declaration 18-04-2022				
Primary Article Identifier	4058075811430 4058075622692			
Declaration No. in SCIP database	In work			

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075622692	P PIN 20 1.8 W/827 G4	Shipping carton box 20 Pieces Folding carton box	150 mm x 122 mm x 77 mm	1.41 dm³	186.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further products and actual information concerning LED lamps see

www.osram.com/ledlamps

For Guarantee see

www.osram.com/guarantee

Product datasheet

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner of LEDVANCE of LAMPS



OSRAM GmbH Marcel-Breuer-Strasse 6 80807 Munich, Germany