# **KÄRCHER**



With its high speed the FP 303 floor polisher contributes to perfect polishing results on all floors such as parquet, laminate, cork, stone, linoleum or PVC.



### Order no.

### 1.056-820.0

- Optimal polishing results thanks to the high motor speed
- Ergonomic construction and optimised shape
- Accessory storage on the device

2	Technical data		
E R V F	EAN code		4039784195769
	Rotational speed	rpm	1000
	Rated input power	W	600
	Working width	mm	290
	Filter bag capacity	I	4
	Supply voltage	V / Hz	220 - 240 / 50 - 60
	Weight without accessories	kg	6.6
	Weight incl. packaging	kg	8
	Dimensions (L × W × H)	mm	385 × 339 × 1162

	Paper
Cable storage	
Textile bag incl. accessory compartment	•







Ergonomic handle

• For convenient and effortless cleaning.



Cable storage directly on the handle

• Easy and tidy storage of the cable using both cord hooks.



High-quality textile bag, includes separate accessory compartment

• For space-saving storage of the polishing pads provided.

## KARCHER

# ACCESSORIES FOR FP 303 1.056-820.0



8



3









		Ordenne	Description		
		Order no.	Description	1	
Polishing pads				_	
Polishing pads (universal)	1	2.863-193.0	3 polishing pads for FP 303 vacuum floor polisher. Ideal for polishing hard surfaces such as parquet, stone, linoleum, cork, PVC and laminate floors.		
Polishing pads for parquet, waxed	2	2.863-196.0	3 polishing pads for FP 303 vacuum floor polisher. Ideal for polishing waxed hard surfaces, e.g. waxed parquet floors.	C	
Polishing pads for parquet, sealed/laminate	3	2.863-197.0	3 polishing pads for FP 303 vacuum floor polisher. Ideal for polishing sealed hard surfaces such as sealed parquet, cork and laminate.		
Polishing pads for stone/linoleum/PVC	g pads for stone/linoleum/PVC 4 2.863-198.0 3 polishing pads for FP 303 vacuum floor polisher. Ideal for polishing matt stone, PVC or linoleur floors.				
Filter					
Paper filter bag	5	6.904-128.0	3 replacement paper filter bags for FP 303 vacuum floor polisher.		
BASIC CLEANERS					
Stone, linoleum, PVC					
Basic cleaning agent for hard floors RM 533	6	6.295-775.0	For thorough removal of old protective layers and stubborn dirt from stone, linoleum and PVC. For best results, use together with Kärcher care agents. Can also be used for normal cleaning of sealed parquet and cork. Note: not suitable for unsealed wooden surfaces.	C	
FLOOR CARE					
Waxed parquet					
Floor care for waxed parquet/parquet with oil or wax finish RM 530	7	6.295-778.0	Optimal care and protection for waxed wooden floors or wooden floors with oil/wax finish. Traces are removed, the care film is renewed and the floor is left with a silky shine. Notes: leave treated floors to harden for 24 hours, do not apply water, do not move furniture and do not walk on the floor wearing shoes. Store in a frost-free place.	C	
Varnished parquet, laminate					
RM 531 care film is renewed and the floor is left with a silky shine. Notes: leave treated floor		Optimum care and protection for sealed parquet, laminate and cork floors. Traces are removed, the care film is renewed and the floor is left with a silky shine. Notes: leave treated floors to harden for 24 hours, do not apply water, do not move furniture and do not walk on the floor wearing shoes.	C		
Matte stone, linoleum, PVC			·		
Floor care for matt stone/linoleum/PVC RM 532	9	6.295-776.0	Optimum care and protection for matt artificial and natural stone floors, linoleum and PVC. Traces are removed, the care film is renewed and the floor is left with a silky matt shine. Notes: Allow treated floors to harden for 24 hours, do not apply water, do not move furniture and do not walk on the floor wearing shoes. Store in a frost-free place.	C	

■ Included in the scope of supply. □ Available accessories. ○ Detergents.