

HardwareCity

HardwareCity (S) Pte Ltd Brand: YellowYellow Manufactured in Malaysia

SAFETY DATA SHEET

YellowYellow Zero Mould

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name YellowYellow Zero Mould

Internal identification F6V3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Removal of mould and mildew stains on a household scale

1.3. Details of the supplier of the safety data sheet

Supplier HardwareCity (S) Pte Ltd

204 – 204A – 206 - 208 Choa Chu Kang, Avenue 1, S(689473)

1.4. Emergency telephone number

+65 6266 0802 **Emergency telephone**

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Health hazards

Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Warning

H315 Causes skin irritation. **Hazard statements**

H319 Causes serious eye irritation.

EUH208 Contains Mixture of tetrasodium phosphonoethane-1,2-dicarboxylate and

Hexasodium phosphonobutane-1,2,3,4-tetracarboxylate. May produce an allergic reaction.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves, eye and face protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

Detergent labelling

< 5% anionic surfactants,< 5% chlorine-based bleaching agents

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.2. Mixtures

sodium hypochlorite		1	1-5%
CAS number: 7681-52-9	EC number: 231-668-3	REACH registration number: 01- 2119488154-34-0000	
M factor (Acute) = 10			
Classification	Classification (67/548/EEC or 1999/45/EC)		
Met. Corr. 1 - H290	C; R34. N; R50. R31		
Skin Corr. 1B - H314			
Eye Dam. 1 - H318			
STOT SE 3 - H335			
Aquatic Acute 1 - H400			

Sodium Hydroxide			<1%
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01- 2119457892-07-0000	
Classification	Classification (67/548/EEC or 1999/45/EC)		
Met. Corr. 1 - H290	C; R35		
Skin Corr. 1A - H314			
Eye Dam. 1 - H318			

Sodium N-lauroylsarcosinate		<1%
CAS number: 137-16-6	EC number: 205-281-5	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 2 - H330	T; R23. Xi; R41, R38	
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		

<1%

Mixture of tetrasodium phosphonoethane-1,2-dicarboxylate and Hexasodium phosphonobutane-1,2,3,4-tetracarboxylate

EC number: 410-800-5

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Sens. 1 - H317 N; R51/53. R43

Aquatic Chronic 2 - H411

CAS number: 143239-08-1

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove exposure and give water to drink if mouth irritation experienced. Seek medical advice

if recovery not rapid.

Ingestion Drink water. If symptoms persist seek medical advice.

Skin contact Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical

attention if irritation persists after washing.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Possible mild irritation of breathing passage and possible mouth irritation.

Ingestion Possible mild stomach upset and mild soreness of mouth.

Skin contact Causes skin irritation.

Eye contact Causes eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No data available

Specific treatments No data available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

Specific hazards Product does not support combustion, minimal fire hazard. Minimal quantities of oxides of

carbon may be produced.

Hazardous combustion Thermal decomposition or combustion products may include the following substances:

products Chlorine Gas Hydrogen chloride (HCI). Chlorine Oxides

5.3. Advice for firefighters

Protective actions during Use protection suitable to cause of fire.

firefighting

Special protective equipment Wear breathing apparatus suitable for chlorine gas

for firefighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions Product is intended to be rinsed away to sewer after use. For bigger spillages non-household

spillages prevent entry into sewer or drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb household spillages with e.g kitchen roll and dispose of in bin. Wipe affected area

clean with a damp cloth.

6.4. Reference to other sections

Reference to other sections None

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use as instructed on label. Avoid breathing spray. Point spray away from face. Avoid contact

with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in ambient conditions. Keep out of the reach of children.

7.3. Specific end use(s)

Specific end use(s) Cleaning hard surfaces around the home and removing mould and mildew stains.

Observe precautions in section 7.1

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

sodium hypochlorite

Short-term exposure limit (15-minute): EU ELV 0.5 ppm 1.5 mg/m³ Chlorine Short-term exposure limit (15-minute): EH40 WEL 0.5 ppm 1.5 mg/m³ Chlorine

Sodium Hydroxide

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

Mixture of tetrasodium phosphonoethane-1,2-dicarboxylate and Hexasodium phosphonobutane-1,2,3,4-

tetracarboxylate (CAS: 143239-08-1)

DMEL -Inhalation; Long term local effects: 10 mg/m³

8.2. Exposure controls

Eye/face protection Wear tight-fitting, chemical splash goggles or face shield.

Hand protection Wear protective gloves made of the following material: Butyl rubber. Polyvinyl chloride (PVC).

Chloroprene rubber.

B-P2 or B-P3

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Clear thin liquid

Colour Pale Yellow

Odour Bleach

pH pH (concentrated solution): 12.5 - 13.5

Initial boiling point and range Not measured (>100°C)

Flash point Not applicable.

Evaporation rate Not measured.

Vapour pressure Not available.

Vapour density > 1 (Air=1)

Relative density 1.040 - 1.060

Soluble in water

Partition coefficient n-octanol/water

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Will react with acids to produce chlorine gas

10.2. Chemical stability

Stability Decomposes under normal conditions over a very long period

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Will produce chlorine when reacted with acids. Retail pack will produce such low volumes the

risk to health is considered negligible.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, Chlorine gas will be liberated upon heating Avoid contact with acids, may produce

toxic gas (chlorine).

10.5. Incompatible materials

Materials to avoid Avoid contact with acids, organic materials, hydrogen peroxide, metal salts, copper, nickel,

iron and ammonia and ammonium compounds - Chlorine gas will be liberated upon contact.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Rapid and extreme decomposition may release acids of phosphorus, phosphorus oxides,

carbon oxides, hydrogen chloride, chlorine and chlorine oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - inhalation

ATE inhalation (dusts/mists

16.67

mg/l)

<u>Toxicological information on ingredients.</u>

sodium hypochlorite

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

3,400.0

Species Mouse

ATE oral (mg/kg) 3,400.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.0

mg/kg)

Rabbit **Species**

Acute toxicity - inhalation

Acute toxicity inhalation

(LC₅₀ vapours mg/l)

10.5

Rat **Species**

Sodium Hydroxide

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

2,000.0

Species Rat

Sodium N-lauroylsarcosinate

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

5,000.0

Species Rat

5,000.0 ATE oral (mg/kg)

Acute toxicity - inhalation

Acute toxicity inhalation

(LC₅₀ dust/mist mg/l)

1.0

Species Rat

ATE inhalation

(dusts/mists mg/l)

0.05

SECTION 12: Ecological Information

12.1. Toxicity

The mixture has not been tested. Based on the avaliable data of the ingredients the **Toxicity**

classification criteria are not met.

Ecological information on ingredients.

sodium hypochlorite

Acute aquatic toxicity

 $0.01 < L(E)C50 \le 0.1$ LE(C)50

M factor (Acute) 10

Acute toxicity - fish LC₅₀, 96 hours: 0.22 - 0.62 mg/l, Pimephales promelas

Acute toxicity - aquatic

invertebrates

EC₅₀, 96 hours: 2.1 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅₀, 24 hours: 28 mg/l, Desmodesmus subspicatus

Sodium Hydroxide

Acute toxicity - fish LC₅₀, 96 hours: 125 mg/l, Freshwater fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 24 hours: 76 mg/l, Daphnia magna

Acute toxicity - microorganisms

EC₅₀, 15 minute: 22 mg/l, Bacteria

Mixture of tetrasodium phosphonoethane-1,2-dicarboxylate and Hexasodium phosphonobutane-1,2,3,4-tetracarboxylate

Acute toxicity - fish LC₅₀, 96 hours: >100 mg/l, Lepomis macrochirus (Bluegill)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: >1000 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅₀, 72 hours: 72 mg/l, Pseudokirchneriella subcapitata

Acute toxicity - microorganisms

EC₅₀, 3 hours: >1000 mg/l, Activated sludge

12.2. Persistence and degradability

Persistence and degradability Contains detergents that satisfy the bio-degradation requirements of directive 648/2004/EC.

12.3. Bioaccumulative potential

Bioaccumulative potentialThe product does not contain any substances expected to be bioaccumulating.

Partition coefficient n-octanol/water

12.4. Mobility in soil

Mobility Mobile.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

No data available.

assessment

12.6. Other adverse effects

Other adverse effects Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of according to local regulations. Avoid disposing into drainage systems and into the

environment. Dispose of contaminated packaging in the same way as the product itself. Non-

contaminated packages may be recycled.

SECTION 14: Transport information

General

Not regulated.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not regulated.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation This safety data sheet is compliant with EC Regulation 1907/2006 (REACH) as adapted by

453/2010, Directive 67/548/EEC and EC Regulation 1272/2008 (CLP).

Dangerous Preparations Directive 1999/45/EC.

Regulation (EC) No. 648/2004 of the European Parliament and of the Council of 31st March

2004 on detergents.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Risk phrases in full R23 Toxic by inhalation.

R31 Contact with acids liberates toxic gas.

R34 Causes burns.

R35 Causes severe burns.

R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

R50 Very toxic to aquatic organisms.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Hazard statements in full H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

EUH208 Contains Mixture of tetrasodium phosphonoethane-1,2-dicarboxylate and

Hexasodium phosphonobutane-1,2,3,4-tetracarboxylate. May produce an allergic reaction.