

NT 70/2 ADV

Kärcher quality at an affordable price: The NT 70 is a powerful vacuum cleaner with 2 motors. With its high suction power, the device is convincing for wet applications as well as for coarse dirt.





Order no.

1.667-278.0

- Robust bumper, large wheels
- Ergonomic push handle
- Squeegee nozzle

Technical data

reennear aata		
EAN code		4039784725560
Power supply	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	2 × 74
Vacuum	mbar / kPa	254 / 25.4
Container capacity	I	70
Container material		Plastic
Rated input power	w	max. 2400
Standard nominal width		ID 40
Cable length	m	10
Sound pressure level	dB(A)	79
Colour		anthracite
Weight without accessories	kg	25.2
Dimensions (L × W × H)	mm	510 × 720 × 975

Suction hose length	m	4
Bend		Plastic
Quantity of suction tubes	Piece(s)	2
Suction tubes length	mm	550
Suction tubes material		Stainless steel
Wet/dry floor nozzle width	mm	360
Crevice nozzle		
Squeegee nozzle	mm	644
Cartridge filter		Paper
Drain hose		
Protection class		П

Included in the scope of supply.



Easy to use

• The container is easy to empty via the drain hose. Extremely practical due to the very large 70 litre container capacity.



Integrated accessory storage

• Large bumper with accessory storage.



Ergonomic push handle

• The NT 70 has an ergonomic push handle so that the machine can be pushed along.

ACCESSORIES FOR NT 70/2 ADV 1.667-278.0





		Order no.	Description	
CARTRIDGE FILTER, STANDARD, UP TO BIA C, D	UST C	LASS M		
Cartridge filter paper				
Cartridge filter, paper	1	6.907-038.0	Paper cartridge filter (M BIA-C dust class M), suitable as a main filter for dry and wet pick up.	
BENDS				-
Bend, plastic				
Bend, NT, DN 40, plastic, clip 2.0 at hose end, cone at accessory end	2	2.889-171.0	DN 40 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	
Bend, NT, DN 35, plastic, clip 1.0 at hose end, cone at accessory end	3	5.031-718.0	DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 1.0 connection at the hose end and a cone connection at the accessory end.	
Bend, NT, DN 35, plastic, electrically conductive, clip 1.0 at hose end, cone at accessory end	4	5.031-939.0	Electrically conductive DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 1.0 connection at the hose end and a cone connection at the accessory end.	
Bend, NT, DN 40, plastic, electrically conductive, clip 1.0 at hose end, cone at accessory end	5	5.032-427.0	Electrically conductive DN 40 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 1.0 connection at the hose end and a cone connection at the accessory end.	
Bend, other				
Bend, NT, DN 35, chrome-plated metal, cone at hose end, cone at accessory end	6	6.900-519.0	DN 35 chrome-plated metal bend for wet and dry vacuum cleaners by Kärcher. The bend has a cone connection at both the hose end and the accessory end.	
Bend, NT, DN 35, stainless steel, cone at hose end, cone at accessory end	7	6.903-141.0	Robust DN 35 stainless steel bend for wet and dry vacuum cleaners by Kärcher. The bend has a cone connection at both the hose end and the accessory end.	
Bend, NT, DN 40, chrome-plated metal, cone at hose end, cone at accessory end	8	6.900-276.0	DN 40 chrome-plated metal bend for wet and dry vacuum cleaners by Kärcher. The robust bend has a cone connection at both the hose end and the accessory end.	
Bend, NT, DN 40, stainless steel, cone at hose end, cone at accessory end	9	6.902-079.0	Robust DN 40 stainless steel bend for wet and dry vacuum cleaners by Kärcher. The bend has a cone connection at both the hose end and the accessory end.	
SUCTION NOZZLES		1		
Floor nozzles				
Wet/dry floor nozzle, Adv, DN 40, width 360 mm	10	2.889-153.0	Plastic Adv floor nozzle with width of 360 mm and nominal size of DN 40 for wet and dry vacuum cleaners from Kärcher. Features brush strips and squeegees that are easy to change.	
Wet/dry floor nozzle, aluminium, DN 40, width 370 mm	11	6.903-018.0	Aluminium floor nozzle with rollers, width of 370 mm and nominal size of DN 40 for wet and dry vacuum cleaners from Kärcher. Includes easy-to-replace brush strips and squeegees.	
Wet/dry floor nozzle, aluminium, DN 40, width 450 mm	12	6.906-383.0	Aluminium floor nozzle with rollers, width of 450 mm and nominal size of DN 40 for wet and dry vacuum cleaning. The brush strips and squeegees that are included are easy to change.	
Wet/dry floor nozzle, aluminium, DN 35, width 370 mm	13	6.906-384.0	For wet and dry vacuum cleaners from Kärcher: aluminium floor nozzle (DN 35) with a width of 370 mm, including brush strips and squeegees that are easy to change.	
Wet/dry floor nozzle, Adv, DN 40, width 400 mm	14	2.889-117.0	For wet and dry vacuum cleaners from Kärcher: plastic Adv floor nozzle with width of 400 mm and nominal size of DN 40. Includes easy-to-replace brush strips and squeegees.	

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories.

ACCESSORIES FOR NT 70/2 ADV 1.667-278.0

15	16	17	18	19	20	21
22	23	24	25-26	27	28-30	

				1
SUCTION NOZZLES		Order no.	Description	
Wide nozzles				
				1-
Wide nozzle	15	4.130-432.0	Vacuuming larger Areas in connection with NT 70/1, NT 70/2 or NT 70/3 versions only.	
Crevice nozzles				
Crevice nozzle, NT, DN 40, plastic, 300 mm	16	5.130-655.0	Plastic crevice nozzle in nominal width DN 40 for Kårcher wet and dry vacuum cleaners. Especially suitable for vacuuming out areas that are difficult to reach, such as joints, crevices and corners.	′
Crevice nozzle, DN 35, plastic, length 210 mm	17	2.889-130.0	With the DN 35 plastic crevice nozzle, corners and crevices can be vacuumed quickly and thoroughly. Length: 210 mm.	
Crevice nozzle, NT, DN 35, metal, 500 mm long	18	6.900-922.0	The metal crevice nozzle (DN 35) enables vacuuming in crevices and corners. Length: 500 mm.	
Crevice nozzle, NT, DN 40, metal, 400 mm	19	6.905-817.0	Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	
All-purpose brushes				
All-purpose brush	20	6.903-863.0	Natural bristles (ox hair), bristle element 120 × 45 mm.	
Car cleaning nozzles				
Car nozzle, ID 40, 90 mm	21	6.900-952.0	For retrofitting older Kärcher wet and dry vacuum cleaner models with bends in DN 40: Flat angled, convenient, plastic car cleaning nozzle with a working width of approx. 90 mm.	
	22	2.840-095.0	Flat angled, convenient, plastic, DN 40 car cleaning nozzle specially designed for new Kärcher wet and dry vacuum cleaners with a clip system at the suction hose. Working width: Approx. 90 mm.	
Rubber suction tools, nose 45°				
Rubber suction tool, nose 45°	23	6.902-104.0	45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
NT rubber suction nozzle, bevelled at 45°, DN 40	24	6.902-105.0	45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
Pipe dusting nozzles				
Pipe brush 35/100	25	6.903-035.0	Plastic, pipe diameter 100 mm	
Pipe brush 35/200	26	6.903-036.0	Plastic, pipe diameter 200 mm	
SUCTION TUBES				
Suction tubes, stainless steel				
Suction tube, 2 x, NT, DN 40, 550 mm long, stainless steel, suitable for: NT 50/1, NT 55/2, NT 65/2, NT 70/2, NT 70/3, NT 75/2	27	2.889-194.0	The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 40 and 550 mm long each). For Kärcher wet and dry vacuum cleaners.	
Suction tube, DN 35, 505 mm, stainless steel	28	6.902-154.0	Suction tube made of high-quality stainless steel in DN 35 and 505 mm long for wet and dry vacuum cleaners from Kärcher.	

 \blacksquare Included in the scope of supply. \Box Available accessories.

ACCESSORIES FOR NT 70/2 ADV 1.667-278.0

28-30	31	32	33	34	35	3 6
37	38	39	40	60000 41	6 42	

				Т
		Order no.	Description	
SUCTION TUBES				_
Suction tubes, stainless steel Suction tube, NT, DN 40, 550 mm long,	29	6.902-081.0	Sustian tube made of high quality staipless stepl in nominal width DN 40 and EE0 mm long for wat	Le
stainless steel, suitable for: AP 100/50, NT 55/2, NT 65/2, NT 70/2, NT 70/3, NT 72/2, NT 75/2, NT 561, NT 611, NT 802 IV		0.902-081.0	Suction tube made of high-quality stainless steel in nominal width DN 40 and 550 mm long for wet and dry vacuum cleaners from Kärcher.	
Suction tube, NT, DN 40, 1000 mm long, stainless steel, suitable for: NT 55/2, NT 65/2, NT 70/2, NT 70/3, NT 72/2, NT 75/2, NT 561, NT 611, NT 802 IV	30	6.906-531.0	The suction tube made of high-quality stainless steel (DN 40 and 1000 mm long) is suitable for wet and dry vacuum cleaners from Kärcher.	
Suction tubes, metal				
Suction tube, NT, DN 35, 505 mm long, chrome-plated steel, suitable for: NT 25/1, NT 27/1, NT 30/1, NT 35/1, NT 40/1, NT 48/1, NT 50/1, NT 55/2, NT 65/2, NT 70/2, NT 70/3, NT 72/2, NT 75/1, NT 75/2, NT 611, NT 802 IV	31	6.900-514.0	The suction tube made of chrome-plated steel (DN 35, 505 mm long) is suitable for wet and dry vacuum cleaners from Kärcher.	
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible	with	vacuum cleane	rs from model year 2017 on)	
Suction hose, NT, DN 40, length 4 m, clip 2.0, bayonet 2.0	32	2.889-138.0	The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	
Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	33	2.889-137.0	The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	
Suction hose, NT, DN 40, length 2.5 m, clip 2.0, bayonet 2.0	34	2.889-139.0	The suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	
Suction hose, NT, DN 40, length 4 m, oil-resistant, clip 2.0, bayonet 2.0	35	2.889-140.0	The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	
Suction hose, NT, DN 40, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	36	2.889-141.0	The electrically conductive suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	r 🗆
Suction hose, NT, DN 40, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	37	2.889-142.0	The electrically conductive suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	
Repair kit for suction hoses DN 40, Clip 2.0	38	2.889-150.0	Repair kit ID 40 for the new clip system.	Γ
Hose connection				
Adapter, ID 32/35, with internal thread	39	6.902-077.0	Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	
Connecting adapter, ID 40, with internal thread	40	6.900-286.0	Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.	
Suction hoses with clip system 1.0 (compatible	with	vacuum cleane	rs up to model year 2016)	
Repair kit for suction hoses DN 40 Clip 1.0	41	2.639-873.0	Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	
Extension hose, NT, DN 40, length 2.5 m, clip 1.0, connecting adapter	42	6.906-344.0	The extension hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 70/2 ADV 1.667-278.0

54

53

55



56

				1
		Order no.	Description	
SUCTION HOSES				
Suction hoses with clip system 1.0 (compatible	with	vacuum cleane	rs up to model year 2016)	
Suction hose with DN_40 adapter, NT, DN 40, length 16 m, clip 1.0, bayonet 1.0	43	4.440-784.0	The suction hose with sleeve in nominal width DN 40 and with 16 m length is suitable for use with wet and dry vacuum cleaners.	
Suction hose, NT, DN 40, length 10 m, clip 1.0, bayonet 1.0	44	6.906-279.0	The suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	′ 🗆
Suction hose, NT, DN 40, length 4 m, clip 1.0, bayonet 1.0	45	6.906-321.0	The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	
Suction hose, NT, DN 40, length 16 m, clip 1.0, bayonet 1.0	46	6.906-635.0	The suction hose in nominal width DN 40 and with 16 m length is suitable for use with wet and dry vacuum cleaners.	′ 🗆
Suction hose, NT, DN 40, length 10 m, electrically conductive, clip 1.0, bayonet 1.0	47	6.906-877.0	The electrically conductive suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	
Suction hoses with cone connection				
Suction hose, NT, DN 40, length 4 m, cone, bayonet 1.0	48	4.440-263.0	The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	
Suction hose, NT, DN 40, length 4 m, oil-resistant, cone, bayonet 1.0	49	4.440-303.0	The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	
Suction hose, NT, DN 40, length 10 m, cone, bayonet 1.0	50	4.440-463.0	The suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	′ 🗆
Suction hose, NT, DN 40, length 10 m, electrically conductive, cone, bayonet 1.0	51	4.440-466.0	The electrically conductive suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	
Suction hose, NT, DN 40, length 10 m, oil-resistant, cone, bayonet 1.0	52	4.440-612.0	The suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	′ 🗆
Suction hose, NT, DN 50, length 4 m, cone, bayonet 1.0	53	4.440-264.0	The suction hose in nominal width DN 50 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	
Suction hose, NT, DN 50, length 3 m, cone, bayonet 1.0	54	4.440-328.0	The suction hose in nominal width DN 50 and with 3 m length is suitable for use with wet and dry vacuum cleaners.	
Suction hose, NT, DN 50, length 10 m, cone, bayonet 1.0	55	4.440-467.0	The suction hose in nominal width DN 50 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	′ 🗆
Suction hose, NT, DN 50, length 4 m, oil-resistant, cone, bayonet 1.0	56	4.440-613.0	The oil-resistant suction hose in nominal width DN 50 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	

□ Available accessories.

ACCESSORIES FOR NT 70/2 ADV 1.667-278.0

$ \begin{array}{c} $	5		$\left \begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$	
		Order no.	Description	
SUCTION HOSES				
Suction hoses with cone connection Suction hose, NT, DN 50, length 4 m, electrically conductive, cone, bayonet 1.0	57	4.440-616.0	The electrically conductive suction hose in nominal width DN 50 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	
FILTER BAGS				
Fleece filter bags				
Fleece filter bags, 5 Piece(s), NT 65, NT 70, NT 72, NT 75, NT 90	58	2.885-753.0	Tear-resistant fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	
Paper filter bags Paper filter bags, 5 Piece(s), NT 48, NT 65, NT 70, NT 72, NT 75, NT 80, WET VAC	59	6.904-285.0	Premium 3-layer paper filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	
FILTER T/ NT				
Wet filter bag				
Wet filter bag	60	6.904-252.0	Approved for dust class L, general cleaning, wet and dry, tear-resistant.	
Plastic sacks for dust-free disposal				
Plastic bag for dust-free disposal, 10 Piece(s), NT 65, NT 70, NT 72, NT 75, NT 602, NT 700, NT 702	61	6.900-698.0	PE plastic sack.	
Fabric filter				
Membrane filter, NT 65, NT 70, NT 72, NT 75, NT 551, NT 602, NT 700, NT 702, NT 802, NT 993	62	6.904-282.0	Polyester needle fleece membrane/fabric filter - BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.	
CONNECTING SLEEVES				
Y-adapter kit				
Y-adapter kit	63	2.637-217.0	Plastic distributor – suitable for NT vacuum cleaners.	
Connection adapter C ID (clip to cone)		1		
Adapter clip DN 35 on cone DN 35	64	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	
Adapter clip DN 40 to cone DN 40	65	5.407-006.0	For connecting small nozzles and suction tubes with cone DN 40: Adapter clip system DN 40. Ideal	
	0.0		for vehicle interior cleaning tasks, with no need to connect additional nozzles.	
Connection adapter C DN 35	66	5.407-112.0	for vehicle interior cleaning tasks, with no need to connect additional nozzles. C 35 hose connector for DN 35 accessory, electrically conductive.	
Connection adapter C DN 35 Reducing sleeves				
-				
Reducing sleeves NT reducer from DN 40 to DN 35, electrically	66	5.407-112.0	C 35 hose connector for DN 35 accessory, electrically conductive.	
Reducing sleeves NT reducer from DN 40 to DN 35, electrically conductive	66	5.407-112.0	C 35 hose connector for DN 35 accessory, electrically conductive. Threaded reducer – from C-40 to DN 35. Suitable for NT vacuum cleaners. Reducer, enabling accessories (upholstery nozzle, crevice nozzle, etc.) with a DN 35 connection adapter to be connected to accessory parts (bend or suction tube) that have a DN 40 connection	

Available accessories.

ACCESSORIES FOR NT 70/2 ADV 1.667-278.0



		Order no.	Description	
TARGET-GROUP-SPECIFIC ACCESSORY KITS FOR	VAC	JUM CLEANERS	5	
Professional cleaning kit NT DN 40	71	2.637-353.0	Single parts: 4 m suction hose (4.440-263.0), metal bend (6.900-276.0), 2x 0.5 m metal suction tubes (6.900-275.0), crevice nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).	
Car cleaning accessory kit	72	2.862-166.0	Vehicle interior cleaning accessory kit in nominal width DN 35 for Kärcher wet and dry vacuum cleaners. The kit comprises various nozzles and adapter pieces in nominal widths DN 35 and DN 40.	
NT accessory kit for vacuuming chips, DN 50	73	2.640-760.0	Target group-specific robust connection set in DN 61 for cleaning work in combination with oil-resistant suction hose and rubber nozzle.	
OTHER ACCESSORIES NT				
Cyclone preseparator CS 40 Me	74	2.863-026.0	The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	
Adapter for NT hoses with bayonet connection 1.0	75	5.031-436.0	Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	
OTHER ACCESSORIES SCRUBBER DRIERS				
Miscellaneous				
Extension cable	76	6.647-022.0	Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	

□ Available accessories.