

# Leak Detection Spray

## Introduction

Technical sprays are used in nearly all sectors of modern industry. These sprays are used for care and protection of surfaces, for cleaning, degreasing, dissolving and separating and are essential in daily business.



We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.

For the fast, comfortable, and reliable location of leaks (cracks or porous spots) in pressurized pipes or tanks. WEICON Leak Detection Spray is non-flammable, anti-corrosive, kind to the skin, and DIN-DVGW-tested (testing certificate NG 5170AO0666).

## Applications

- Wherever compressed air, natural gas, or liquid gas is processed or piped
- Wherever leaks appear on fittings, threaded joints and connections
- For increased safety on pneumatic brakes and gas lines

WEICON Leak Detection Spray does not form any hazardous compounds in contact with carbon dioxide (CO<sub>2</sub>), propane, butane, acetylene, oxygen, city gas, or natural gas.

## Technical data

|                        |  |
|------------------------|--|
| Colour                 | milky                                      |
| Odour                  | almost odourless                           |
| Temperature resistance | 0 to +50 °C                                |
| Shelf life (minimum)   | 24 months                                  |
| Special features       | DVGW-tested for oxygen and CO <sub>2</sub> |

## Processing

Spray on area to be tested. Bubbles will be formed if there is a leakage. Thanks to its high sensitivity even smallest leakages can be detected.

## Storage

Pressurized container: protect from sunlight and do not expose to temperatures exceeding +50°C.

## Note

The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation.

### WEICON GmbH & Co. KG (Headquarter)

Königsberger Str. 255 · DE-48157 Münster  
P.O. Box 84 60 · DE-48045 Münster  
Germany

Tel. +49 (0) 251 / 93 22-0  
Fax +49 (0) 251 / 93 22-244  
Fax +49 (0) 251 / 93 22-233 Export  
www.weicon.de · info@weicon.de

### WEICON Middle East L.L.C.

Jebel Ali Ind Area 3 · P.O. Box 118 216  
Dubai · U.A.E

Phone +971 4 880 25 05  
Fax +971 4 880 25 09  
Mobile +971 50 545 99 83  
www.weicon.ae · info@weicon.ae

### WEICON Inc.

20 Steckle Place · Unit 20  
Kitchener · Ontario · N2E 2C3  
Canada

Phone +1 519 896 5252  
Fax +1 519 896 5254  
Cell +1 519 590 5168  
www.weicon.ca · info@weicon.ca

### WEICON Kimya Sanayi Tic. Ltd. Şti.

Yenibosna Mahallesi Yalçın Koreş Caddesi  
Arifağa Sokak No: 29 Kat: 3  
34530 Yenibosna – İstanbul Turkey  
www.weicon.biz.tr · info@weicon.biz.tr

### WEICON Romania SRL

Str. Depozitelor 22  
540240 Targu Mures, jud. Mures Romania  
www.weicon.com · office@weicon.com