



# NoFlash

## Electro Contact Cleaner



### FEATURES

- Non-Flammable
- NSF Certified: K2 Registration #131303
- VOC Compliant in California
- Safe to use on most surfaces, but may be harmful to some plastics
- Quick Penetration
- Removes dirt, moisture, dust, flux, and oxides from internal components of electronic equipment

### APPLICATIONS

- Contacts
- Controls
- Instruments
- Meters
- Printed Circuit Boards
- Signals
- Switches
- Sensors
- Telecommunication Equipment

### SPECIFICATIONS AND APPROVALS

- NSF International
- Caterpillar
- Chrysler Corporation
- Honda Corp. Learjet LES1239J
- Koch Refining Group
- Inland Steel
- PPG Glass Mfg.
- Dresser Rand
- Boise Cascade
- McDonnell Douglas CSD #1\*\*
- Delta Airlines
- Ford Motor Co.
- General Motors Co.
- Tampa Electric Co.
- Kimberly-Clark
- Timken Steel
- New York City Transit
- Cummins Engine
- Boeing D6-17487 Rev. P\*

\*Does not conform to Acrylic Cracking Test

\*\* Does not conform to Stress Cracking Test on Acrylic Plastics

#### IS (IDENTIFICATION SYSTEM)



### AVAILABLE PRODUCTS

Part No.		Net Contents	Container	Case Pack	Case Wt.
US	Canada				
04016	C04016	12 wt. oz./340 g/268 mL	Aerosol	12	15 lbs.

### PROPERTIES

Appearance/physical state	Liquid/Gas
Odor	Strong
Melting point/freezing point	N/A
Boiling point/range	158°F (70°C)
Vapor pressure	>100 mm Hg @20°C
Partition coefficient	>1
Percent volatile	100%
Flammability limit	lower: 4%; upper: 8%
Propellant	HFC-134a
VOC Content	70.1%
Color	Colorless
Flash point	<73.4°F (< 23.0°C) (TCC)
Relative density	N/A
Evaporation rate	6 BuAc
Vapor density	-4.3 (air = 1)
Auto-ignition temperature	>914°F (> 490°C)
Viscosity	N/A
Specific Gravity (water=1)	1.29 - 1.32 @20°C

### DIRECTIONS

Hold can 6-8 inches away and spray directly on surface to clean. Test for compatibility on certain plastic surfaces.

### HANDLING

Do not handle until all safety precautions have been read and understood. Do not breathe gas. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

### STORAGE

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight.

### DISPOSAL INFORMATION

Dispose of contents/container in accordance with local/regional/national/international regulations.



CONTACT YOUR ITW PRO BRANDS REPRESENTATIVE TODAY!

800.241.8334 | [www.lpslabs.com](http://www.lpslabs.com)

©2018 ITW Pro Brands • LPS® and NoFlash® are registered trademarks of Illinois Tool Works All Rights Reserved • TDS04016 • 180425