

HardwareCity

SOLE DISTRIBUTOR

SKECHERS

**WORK
FOOTWEAR**



SAFETY MEETS COMFORT



77144 BLK

- BLACK

COMPOSITE TOE BOOT

Mid cut lace, steel toe work boot design.
Memory Foam insole.



77144 DBRN

- DARK BROWN

COMPOSITE TOE BOOT

Mid cut lace, steel toe work boot design.
Memory Foam insole.



77067 WTN

- HONEY BUCK

BURGIN COMPOSITE TOE

Padded collar composite toe
boot w/puncture resistant sole



77067 DBRN

- DARK BROWN

BURGIN COMPOSITE TOE

Padded collar composite toe
boot w/puncture resistant sole



77067 BLK

- BLACK

BURGIN COMPOSITE TOE

Padded collar composite toe
boot w/puncture resistant sole



77088

- BROWN

CONROE COMPOSITE TOE

Mid cut lace with Nitrile rubber slip resistant traction outsole



77093 RDBR

- BROWN LEATHER

PETTUS GRAFFORD ST BOOT

Low Cut, Composite Toe, 3MM Memory Foam Sock Bed, Slip resistant rubber outsole



77092 BLK

- BLACK LEATHER

PETTUS GRAFFORD ST BOOT

Low Cut, 3MM Memory Foam Sock Bed, Slip resistant rubber outsole. No toe cap.



77071

- BLACK LEATHER

**FLEX ADVANTAGE SR
BRONWOOD**

casual comfort slip resistant work loafer moc with Memory Foam insole.



77010

- BLACK

WORKSHIRE CONDOR BOOT

Mid Cut Lace Slip Resistant Shoes. Perfect for food industry. No toe cap.



76586 GYBL - GREY w/ BLUE

CONROE KRIEL ESD

Work Relaxed Fit, Alloy Steel Toe and mesh fabric upper with soft mesh lining



76561 CDB - DARK BROWN

WORKSHIRE PERIL ST BOOT

Steel Toe Mid Cut work boot. Gel Infused Memory Foam insole.



77203 BLK - BLACK

SYNERGY STEEL TOE

Wingor Alloy Toe shoe with stitching accents and Air Cooled Memory Foam insole.



77051 BKYL - BLACK w/ YELLOW

WORK BLAIS STEEL TOE

Action leather and mesh fabric with stitching and overlay accents. Memory Foam insole.



77051 DKGY - DARK GREY

WORK BLAIS STEEL TOE

Action leather and mesh fabric with stitching and overlay accents. Memory Foam insole.



77013 BLK

- BLACK LEATHER

SOFT STRIDE-GRINNEL

Lace-up athletic composite toe



77013 BRBK

- BROWN LEATHER

SOFT STRIDE-GRINNEL

Lace-up athletic composite toe



77132 BLK

- BLACK

TELFIN COMPOSITE TOE

Air Cooled Memory Foam full length cushioned removable comfort insole



77132 CCRD

- BLACK w/ RED

TELFIN COMPOSITE TOE

Air Cooled Memory Foam full length cushioned removable comfort insole



77053 BLK

- BLACK LEATHER

LOW CUT COMPOSITE TOE

Low Cut, Composite Toe.
Slip resistant.



77011

- DARK BROWN
LEATHER

RUFFNECK STEEL TOE

High Cut Rigger Safety Boots with
Slip resistant, oil resistant lug sole



999801

- BLACK SLIP-ON

SAYERN SLIP-ON

Low Cut, Composite Toe, 3MM Memory Foam
Sock Bed, Slip resistant rubber outsole



999802

- BLACK SLIP-ON

SAYERN SLIP-ON

Low Cut, Composite Toe, 3MM Memory Foam
Sock Bed, Slip resistant rubber outsole

HardwareCity

For Company Shoe Contract,
Please Email: supply@hardwarecity.com.sg

www.hardwarecity.com.sg

SAFETY FEATURES GUIDE

SKECHERS EXCLUSIVE

RF

RELAXED FIT

DESIGNED FOR A ROOMY COMFORTABLE FIT.



AIR-COOLED MEMORY FOAM



STEEL SAFETY TOE

SKECHERS WORK STEEL TOE FOOTWEAR HAS BEEN INDEPENDENTLY TESTED AND CERTIFIED TO MEET OR EXCEED THE ASTM F2413-2011, I/75 C/75 STANDARDS FOR IMPACT AND COMPRESSION.



COMPOSITE SAFETY TOE

DESIGNED EXCLUSIVELY FOR INDUSTRY PROFESSIONALS, SKECHERS WORK INNOVATIVE LIGHTWEIGHT NON-METALLIC COMPOSITE TOE FOOTWEAR IS DESIGNED WITH A DURABLE, ULTRA-LIGHTWEIGHT TOE, TORQUE FLEX CONSTRUCTION AND HIGH-GRADE MATERIALS FOR SUPERIOR STRENGTH, PROTECTION AND COMFORT. MEETS OR EXCEEDS ASTM F2413-2011, I/75 C/75 IMPACT AND COMPRESSION SAFETY.



LIGHTWEIGHT SAFETY TOE

DESIGNED EXCLUSIVELY FOR INDUSTRY PROFESSIONALS, SKECHERS WORK INNOVATIVE LIGHTWEIGHT ALLOY SAFETY TOE SERIES FOOTWEAR IS DESIGNED WITH A DURABLE, ULTRA-LIGHTWEIGHT TOE, TORQUE FLEX CONSTRUCTION AND HIGH-GRADE MATERIALS FOR SUPERIOR STRENGTH, PROTECTION AND COMFORT. MEETS ASTM F2413-2011, I/75 C/75 STANDARDS.



PUNCTURE RESISTANT

THE PUNCTURE INSOLE REDUCES THE POSSIBILITY OF SHARP OBJECTS (NAILS, GLASS OR METAL) PENETRATING THROUGH THE OUTSOLE CAUSING INJURY TO THE FOOT. DESIGNED AND TESTED TO WITHSTAND A PUNCTURE FORCE OF 270LBS., NOT TO CRACK AFTER 1.5 MILLION FLEXES, AND TO SHOW NO SIGNS OF CORROSION WHEN EXPOSED TO 5% SALT SOLUTION FOR 24 HOURS. STANDARD UTILIZED: ASTM 2413-11



SLIP RESISTANT

SKECHERS SLIP-RESISTANT OUTSOLES ARE TESTED FOLLOWING THE ASTM F1677-2005 MARK II TESTING STANDARD ON CLEAN RED QUARRY TILE. USING THIS TEST, ALL SKECHERS SLIP-RESISTANT OUTSOLES MEET OR EXCEED A RESULT OF 0.40 UNDER WET/OILY CONDITIONS.



ELECTRICAL HAZARD

SKECHERS WORK ELECTRICAL HAZARD (EH) FOOTWEAR MEETS ASTM F2413-2011 EH REQUIREMENTS. FOOTWEAR IS CONSTRUCTED TO PROVIDE A SECONDARY LEVEL OF PROTECTION ON SURFACES THAT ARE SUBSTANTIALLY INSULATED AGAINST ACCIDENTAL CONTACT WITH ELECTRICALLY ENERGIZED OBJECTS. FOOTWEAR IS TESTED TO RESIST DISRUPTIVE DISCHARGE TO GROUND UNDER THE POTENTIAL OF 18KV 60HZ AC FOR ONE MINUTE WITH NO CURRENT FLOW IN EXCESS OF ONE MILLIAMPERE UNDER DRY CONDITIONS.

MEN'S SIZE CHART

USA	UK	EU	CM
6 1/2	5 1/2	39	24 1/2
7	6	39 1/2	25
7 1/2	6 1/2	40	25 1/2
8	7	41	26
8 1/2	7 1/2	41 1/2	26 1/2
9	8	42	27
9 1/2	8 1/2	42 1/2	27 1/2
10	9	43	28
10 1/2	9 1/2	44	28 1/2
11	10	45	29
11 1/2	10 1/2	45 1/2	29 1/2
12	11	46	30
12 1/2	11 1/2	47	30 1/2
13	12	47 1/2	31
14	13	48 1/2	32
15	14	49 1/2	34
16	15	50 1/2	35

WOMEN'S SIZE CHART

USA	UK	EU	CM
5	4	37	23 1/2
5 1/2	4 1/2	37 1/2	24
6	5	38	24
6 1/2	5 1/2	39	24 1/2
7	6	39 1/2	25
7 1/2	6 1/2	40	25 1/2
8	7	41	26
8 1/2	7 1/2	41 1/2	26 1/2
9	8	42	27
9 1/2	8 1/2	42 1/2	27 1/2
10	9	43	28
10 1/2	9 1/2	44	28 1/2
11	10	45	29
11 1/2	10 1/2	45 1/2	29 1/2
12	11	46	30
12 1/2	11 1/2	47	30 1/2
13	12	47 1/2	31

SKECHERS
WORK
 MADE TO LAST